

Brassmasters Windows



Brassmasters windows *Images not to scale*

Brassmasters range of OO and N scale etched windows are designed to complement the popular Scalescenes.com range of buildings and scratchbuilding materials. Designed in collaboration with Scalescenes.com, this range of etches will enhance the windows and provide additional details to match the photo-realistic card finishes on these card buildings.


Scalescenes kit usage



A Arched industrial windows

Additional features: Hinged light and tie bar plates
OO Window opening size: 40mm(h) x 39mm(w)
N Window opening size: 21mm(h) x 20mm(w)

 **2 windows per pack**



T026 Factory/Warehouse

1 pack for every 2 windows required


Quantity required



B Small arched industrial windows

Additional features: Hinged light and tie bar plates
OO Window opening size: 19mm(h) x 20mm(w)
N Window opening size: 10mm(h) x 10.5mm(w)

 **6 windows per pack**



T026 Factory/Warehouse


1 pack for every 6 windows required


Quantity required



C Large skylights

OO Window opening size: 21mm(h) x 56mm(w)
N Window opening size: 11mm(h) x 29mm(w)

 **2 windows per pack**



T026 Factory/Warehouse



R009 Goods Shed

1 pack for every 2 windows required


1 pack required

Quantity required



D Large sash windows

Additional features: television aerials
OO Window opening size: 20mm(h) x 14mm(w)
N Window opening size: 11mm(h) x 7mm(w)

 **6 windows per pack**




T005 Low Relief High Street

2 packs for Facades 1 and 4



T020 Terraced Houses

1 pack for each front (2 houses)



T021 Corner Shops


1 pack for Shopfront 1 only
1 pack for Shopfront 2 only
2 packs for Shopfronts 1 & 2



T022 Small Terraced Houses


1 pack makes x6 houses

Quantity required



E Large narrow sash windows

Additional features: Letter boxes and door handles
OO Window opening size: 20mm(h) x 12mm(w)
N Window opening size: 11mm(h) x 7mm(w)

 **6 windows per pack**



R003 Small Station Building

1 pack required.



R004 Medium Station Building

2 packs for Modules A & B



T021 Corner Shops

1 pack for Shopfront 1 only

T021 Corner Shops

1 pack for Shopfront 1 only

Quantity required



F Medium sash windows

Additional features: Letter boxes and door handles
 OO Window opening size: 18mm(h) x 12mm(w)
 N Window opening size: 9.5mm(h) x 6.5mm(w)



6 windows per pack



T005 Low Relief High Street
3 packs for Facades 1 2 and 4



T023 Small Corner Shops
1 pack for Shopfront 1
1 pack makes 6 Shopfronts 2




T021 Corner Shops
1 pack for Shop back



T022 Small Terraced Houses
2 pack makes x1 complete structure
1 pack makes x1 back (2 houses)
1 pack makes x3 fronts (2 houses)



T020 Terraced Houses
1 pack for each back (2 houses)



TX00 Arches and Windows (Arch N)

Quantity required




G Small sash windows


Additional features: Letter boxes, door handles and skylights
 OO Window opening size: 18mm(h) x 9mm(w)
 N Window opening size: 9.5mm(h) x 4.5mm(w)




6 windows per pack



R004 Medium Station Building
1 pack for Module C



R009 Goods Shed
1 pack required




T020 Terraced Houses
2 packs for each back (2 houses)



T022 Small Terraced Houses
1 pack for each back (2 houses)




T023 Small Corner Shops
1 pack makes x6 Shopfronts 2



TX00 Arches and Windows (Arch O)

Quantity required



H Bay windows

OO Window opening sizes:
 Centre: 19mm(h) x 13mm(w)
 Side: 19mm(h) x 8mm(w)
 N Window opening sizes:
 Centre: 10mm(h) x 6.5mm(w)
 Side: 10mm(h) x 4mm(w)



2 windows per pack



T020 Terraced Houses
1 pack for each front (2 houses)

Quantity required



I Old-style shop windows and doors



J Modern-style shop windows and doors


OO Window opening sizes: 23mm(h) x 31mm(w)
 OO Door opening sizes: Double: 33mm(h) x 17mm(w)
 Single: 33mm(h) x 14mm(w)
 N Window opening sizes: 12.5mm(h) x 16mm(w)
 N Door opening sizes: Double: 17.5mm(h) x 9mm(w)
 Single: 17.5mm(h) x 7.5mm(w)



2 windows, 1 single door and 1 double door per pack



T023 Small Corner Shops
1 pack for each Shopfront 1
1 pack for each Shopfront 2



T021 Corner Shops
1 pack for each Shopfront 1
1 pack for each Shopfront 2



R020 Shops Under Arches
1 pack makes x2 shopfronts

Quantity required



Brassmasters windows

Scalescenes kit usage



K Industrial windows

Additional features: Barrel bolts with padlocks
 OO Window opening sizes:
 Large: 15mm(h) x 45mm(w)
 Small: 15mm(h) x 30mm(w)



R019 Workshops Under Arches
1 pack makes x2 Infills B and x2 Infills D

Quantity required




L Large sash windows (eight small panes)

OO Window opening sizes: 24mm(h) x 14mm(w)
 N Window opening sizes: 12.5mm(h) x 7.5mm(w)




T005 Low Relief High Street
2 packs for Facade 5



TX00 Arches and Windows (Arch K)


TX00 Arches and Windows (Arch L)

TX00 Arches and Windows (Arch M)



R005 Large Station Building
7 packs for Module A
2 packs for Module B
9 packs for Modules A & B

Quantity required




M Large sash windows (four large panes)

OO Window opening sizes: 24mm(h) x 14mm(w)
 N Window opening sizes: 12.5mm(h) x 7.5mm(w)




T005 Low Relief High Street
2 packs for Facade 5



TX00 Arches and Windows (Arch K)

TX00 Arches and Windows (Arch L)

TX00 Arches and Windows (Arch M)




R005 Large Station Building
7 packs for Module A
2 packs for Module B
9 packs for Modules A & B

Quantity required




N Ornate arched windows

Additional features: hinged light
 OO Window opening sizes: 24mm(h) x 20mm(w)
 N Window opening sizes: 12.5mm(h) x 10mm(w)



R009 Goods Shed
2 packs required



TX00 Arches and Windows (Arch H)

TX00 Arches and Windows (Arch I)


TX00 Arches and Windows (Arch J)

Quantity required




O Arched industrial windows

Additional features: hinged light
 OO Window opening sizes: 24mm(h) x 20mm(w)
 N Window opening sizes: 12.5mm(h) x 10mm(w)



R009 Goods Shed
2 packs required



TX00 Arches and Windows (Arch H)


TX00 Arches and Windows (Arch I)

TX00 Arches and Windows (Arch J)

Quantity required

Brassmasters windows

Scalescenes kit usage




P Three sash and three simple windows
 OO Window opening sizes: 24mm(h) x 20mm(w)
 N Window opening sizes: 12.5mm(h) x 10mm(w)

6 windows per pack



T005 Low Relief High Street
2 packs for Facade 5



TX00 Arches and Windows (Arch O)

Quantity required



Q Engine shed windows
 Additional features: hinged light
 OO Window opening sizes: 43mm(h) x 29mm(w)

4 windows per pack



R021 North Light Engine Shed
1 pack for each wall




R022 Gable Roof Engine Shed
1 pack for each wall

Quantity required




R Engine shed roof lights
 OO Window opening sizes: 16mm(h) x 44mm(w)

4 windows per pack



R021 North Light Engine Shed
2 packs for each 4 roof section




R022 Gable Roof Engine Shed
1 pack for each roof section

Quantity required



S Signalbox windows
 Additional features:
 Handrails and Lever frame
 OO Window opening sizes:
 17mm(h) x 18mm(w)
 17mm(h) x 70mm(w)
 17mm(h) x 35mm(w)
 13mm(h) x 9mm(w)

1 set per pack




R010 Signalbox
1 pack for each kit

Quantity required


Installation guide

- Modelling knife or scalpel [With a sharp blade!]
- Thin double sided tape
- Thin clear film or acetate [OHP film or packaging windows]
- Steel ruler
- Jewellers snips or scissors


Spray paint the windows (both sides if visible on the finished model) on the fret. White aerosol model primer works well.




Place the window **front side down** and apply strips of double sided tape around the outside edges.



With a sharp blade carefully cut away the excess film and double sided tape.



Remove the tape backing strip and carefully position a suitable piece of clear film over the window.



Test fit the window into building. Place the window **front side up** and apply strips of double sided tape around the outside edges. Trim away the excess tape.

Position the window into structure.



A free 'grime-covered' window sheet designed to be printed on to inkjet or laser compatible film and placed behind the etched industrial windows is available here: www.scalescenes.com/scratchbuilders-yard



Ensure that you don't apply the tape too far toward the centre of the windows otherwise it maybe visible when the windows are in place.

Assembly tip →
 Test fit and trim the hinged lights if required. A clear glazing adhesive such as 'Glue N Glaze' can be used to position these panels.

To model the hinged lights open saw a diagonal cut in the edge of a piece of MDF with a piecing saw to hold the hinged section. This allows you hold the section steady and position the main window without burning your fingers.

Brassmasters Windows



Order form

Name _____

Address _____

Phone _____ Email _____

Item	Quantity	Sub-total
A Two large arched industrial windows OO £2.50 N £1.00		
B Six small arched industrial windows OO £2.50 N £1.00		
C Two large skylights OO £2.00 N 75p		
D Six large sash windows OO £2.50 N £1.00		
E Six large narrow sash windows OO £2.50 N £1.00		
F Six medium sash windows OO £2.50 N £1.00		
G Six small sash windows OO £2.50 N £1.00		
H Two bay windows OO £2.50 N £1.00		
I Old-style shop windows and doors OO £2.50 N £1.00		
J Modern-style shop windows and doors OO £2.50 N £1.00		
K Four industrial windows OO £2.50 N £1.00		
L Three large sash windows (eight small panes) OO £2.00 N 75p		
M Three large sash windows (four large panes) OO £2.00 N 75p		
N Four ornate arched windows OO £2.50 N £1.00		
O Four arched industrial windows OO £2.50 N £1.00		
P Three sash and three simple windows OO £2.00 N 75p		
Q Four engine shed windows OO £4.00		
R Four engine shed roof lights OO £4.00		
S Signalbox windows, handrails and levers OO £5.00		

Sub-total

Postage

Total

Scalescenes kit	Brassmasters code
R003 Small Station Building	E
R004 Medium Station Building	E G
R005 Large Station Building	L M
R009 Goods Shed	C G N O
R010 Signalbox	S
R019 Workshops Under Arches	K
R020 Shops Under Arches	I J
R021 North Light Engine Shed	Q R
R022 Gable Roof Engine Shed	Q R
T005 Low Relief High Street	D F L M P
T020 Terraced Houses	D F G H
T021 Corner Shops	D E F I J
T022 Small Terraced Houses	D F G
T023 Small Corner Shops	D F G I J
T026 Factory/Warehouse	A B C
TX00 Arches and Windows (Arch H)	N O
TX00 Arches and Windows (Arch I)	N O
TX00 Arches and Windows (Arch J)	N O
TX00 Arches and Windows (Arch K)	L M
TX00 Arches and Windows (Arch L)	L M
TX00 Arches and Windows (Arch M)	L M
TX00 Arches and Windows (Arch N)	F
TX00 Arches and Windows (Arch O)	G

Availability

All products are available direct by mail order or from our stand at selected exhibitions.

Payment

Cash, postal order or cheque with order. Unfortunately, we are unable to accept credit cards or foreign currency or non-Sterling cheques.

Please make your postal orders/cheques payable to BRASSMASTERS.

For overseas customers only we can make special arrangements to take payment via Paypal—please email us to discuss.

Delivery

Whilst every effort will be made to supply ex-stock, we will notify you if we cannot deliver your order within twenty-eight days. Please bear in mind that this is a part-time hobby business for us and that we only collect our post once each week. We also have to wait up to 14 days to ensure cheques are cleared and that this is notified to us. Therefore, on some occasions, there may be a delay of 3/4 weeks between your letter, the cashing of your cheque and the despatch of your order. For those with email please quote your email address when you order and we will advise you on its progress at each stage.

Postage and packing

Orders up to £20	add £1.50
Orders from £20 to £45	add £2.50
Orders over £45 to £95	add £4.00
Orders over £95	add £8.00
Orders over £250	post free

Overseas customers please email us for a price

Faulty goods and shortages

We aim to despatch goods in perfect condition but occasionally a sub-standard item may slip through our quality control system. If you receive goods which are deficient in this way please return the faulty item or detail the shortage together with proof of purchase. We will replace the item and refund your postage provided you notify us within 30 days of purchase.

Prices and specification

We aim to maintain prices between each issue of our catalogue but occasionally our suppliers may increase the prices charged to us. We reserve the right to amend any of our prices at the date of despatch. We also reserve the right to amend the specification of our products at any time.

VAT

We are not registered for VAT and therefore all prices are net of VAT. Overseas customers will not therefore be able to reclaim VAT.

Please send order form and payment to:

Brassmasters
PO Box 1137
Sutton Coldfield
West Midlands B76 1FU

Enquires:

sales@brassmasters.co.uk



Brassmasters

www.brassmasters.co.uk
www.scalescenes.com